INDEX

Prepared by Dr. J. BEN HILL of the Botany Department, THE PENNSYLVANIA STATE COLLEGE, State College, Pennsylvania, and HELEN DEUSS HILL. Page numbers printed in black-faced type refer to headings of articles or of sections. Numbers in italics indicate references included in lists of "Literature cited."

Abnormal female spotting in Drosophila **86–91–96–98, 99–102–104–109**
Abraxas 476
Absence of recombination, Drosophila 29, 30
Accumulation of genetic factors by segregation and recombination 545
ADKINSON, JUNE **363,** *418*
AGAR, W. E. *109*
Albinism **323–333, 337,** 360
ALTENBURG, EDGAR **1,** 336, *343*
Anaphylaxis 364, 369, 378–386, 413
ANDERSON, J. F. 379, 380, *418*
ANDREWS, E. A. 492
Anthocyanin development 217, 226
Anthrax 379
Antirrhinum majus (see also snapdragon) 225
Apotettix 336
Asthma **363–418**
  Age of incipience 365
  Anaphylactic type in heredity 364, 369, 413
  Anaphylaxis 364, 369, 378–386, 413
  Developed sporadically 368
  Extrinsic asthma 364
  Family histories of asthmatics 389–411
  Inheritance of **363–418**
    Equal from either parent 367
    Greater in woman 415
    Sensitization 371, 386
  Intrinsic asthma 364
  Mendelian recessive 412, 414, 416, 417
  Nature of inherited factor 415, 417
  Non-sensitive in heredity 369
  Occurrence 363
  Sensitive and non-sensitive types 369, 415
  Sensitization 382, 413, 415
    Of groups 367, 368
    Of relative 372–378
  Skipping a generation 367
  Symbols for character 389
  Two types in heredity 369, 415
AVERY, B. T., JR. *419*
Ayrshire cattle
  Butter-fat percentage 258, 273, 274, 320
  Milk production 118
BABCOCK, E. B., 549, *609*
Barred Plymouth Rock 118, 119, 318
BARTLETT, J. M. 554, 581, *610*
BATESON, W. 224, 226, *247*, 586
BAUR, E. 225, *247*
Belted cattle, Dutch marking 346
BERKHEAD 384
Bisexual heredity **435–455**
BLACKFAN 384
BLAKESLEE, A. F. 163, 179, *187*, 301, 310, 318, *323*, **419**
BOAS, F. *186*
BOYD, M. M. 496, 500
BRAND, A. 193, 195, *247*
Breeding maize for high oil 544
Breeding wheat and maize for high protein 544
BRIDGES, C. B. 2, *59*, *109*, *110*, 340, *343*, 459, 460, 463, 466, 470, 476, 477, **479–483,** 485–*487*, 492, 493, *500*, *541*, *542*
Bristle inheritance, Drosophila 537
British Holstein milk production 118
Bronchial asthma, behavior of as an inherited character **363–418**
BROWN, A. M. 492, 493
BULLOCH 379
CASTLE, W. E. 76, *109*, 326–329, 337, 338, 340, 342, *343*, 345, 353, *361*, 537, *541*, 550, 553, *609*
Cat (Felis), Siamese 329
Cattle (*Bos taurus*) (see also milk secretion) 111-118, 249–324
Celandine (Chelidonium) 201
Ceratophyllum 133
Cereal breeding 584
Changing over in males in doves 497
Chinese primrose (*Primula sinensis*) 225
CHITTENDEN, R. H. 546, *610*
CHOATE, CHARLES F. 363
Cholera, transmission of immunity 379
Chromosome number in *Phlox Drummondii* 247
Chromosomes, behavior of in inheritance 9, 436
Chromosome theory of heredity 325, 326, 344
CLAPP, S. H. 556, *610*
CLAUSEN, R. E. 549, *609*

Colias philodice 108
Color inheritance in *Phlox Drummondii* 189–247
Combes 220
Compound characters in *Phlox Drummondii* 224–226
Constancy of factors for truncate, Drosophila 55
Continual genetic variation, Drosophila 56
Cooke, R. A. 386, *417*
Corn (see maize)
Correlation
  Butter-fat percentages of several lactations 249, 274
  Butter-fat percentage with age 249
  Milk secretion with age 111-186
  Physiological characters 170
Correns, C. 201, *247*, 387
Cow-bison hybrids 497
Crosses, interspecific in Drosophila 494
Crossing over in both sexes 336, 341, 342
Crossing over in mice and rats 325–343
Crossover percentages, variation in 336
Crossover values
  Drosophila melanogaster
    Buff-miniature 484
    Buff-yellow 484
    Truncate$_2$-star 55
    Yellow-white 484
  Mice
    Pink-eye-albinism 327, 332, 333, 334, 335, 342
  Rat
    Pink-eye-albinism 327, 339
    Pink-eye-red-eye 326, 341
    Red eye-ruby-eyed dilute 327
    Red eye-albinism 339, 342
Cryptomeric genes 246
Cuénot, L. 327, *343*, 345, 351, *361*
Cumulative effect of selection 104
Curtis, M. R. *186*, *323*
Curves
  Coefficients of variation in milk production 150
  Color segregation in Phlox 224, 235
  Correlations in milk production 139, 161
  8 months butter-fat production 266, 269, 271
  8 months milk production 125, 127, 128, 131, 134
  Selection of bristle number in *Drosophila melanogaster* 507–509
  Selection in *Drosophila busckii* 69, 72, 75
  Selection for oil content in maize 551
  Selection for protein content in maize 551, 594, 599
  Standard deviation of butter-fat production 272
  Standard deviations in milk production 147
Cyclamen latifolium 209
Cytological evidence of mechanism of heredity 436
Cytology of Drosophila 479–481
Darbishire, A. D. 327, 330, 331, *343*
Darwin, Charles 537
Darwinian idea that all fluctuations are heritable 550
Darwinian theory of natural selection 537
Davenport, C. B. *417*
Davenport, E. 550, 551, *610*
Decreasing protein in wheat and maize 545
Detlefsen, J. A. 334, *343*, 345, 357, 360, *361*
Developmental mechanics 250
Dexter, J. S. *110*
Differential unit characters 189
Diptera 341
Diptheria, transmission of immunity 379
Divergence of two lines accomplished by selection 75
Dolgich 169
Dominance affected by temperature (*Drosophila busckii*) 105
Dominant mutant factors lethal 39
Donaldson, H. H. 133, 154, *186*
Doncaster, L. *110*, 476
Dove (Streptopelia) 497
Drinkwater, H. 411, *417*
Drosophila 341
Drosophila ampelophila Loew (see *D. melanogaster*) 488
Drosophila busckii 60–110
  Abnormal female spotting 86, 91–96–98, 99–102–104–109
  Abnormal spotting character Mendelian 105, 106
  Back-crosses 94, 95
  Behavior of two types of females 94
  Breeding 62
  Compared with *D. melanogaster* 62
  Crosses between abnormal and normal strain 96, 97
  Crosses between various male strains 84, 85
  Description 61, 62
  Divergence of two lines accomplished by selection 69, 72, 75
  Dominance of the normal condition over the abnormal 96
  Dominance or recessiveness affected by temperature 105
  Effect of temperature on genetic behavior of abnormal strain 99, 100
  Effect of temperature on spotting 81–84
  Eye mutations 101
  Factor for abnormal 94
  Factor influencing behavior of abnormal 106
  Factors for spotting 76, 79
  Female, abnormal spotting originated as a mutation 105
  Female spotting 86–106
  Food 62
  Genes affecting middle spots, located on the sex chromosome 79, 80
  Germ cells not the only factor in inheritance 107
  Germinal variation 61
  Heredity of secondary sexual characters 107

Drosophila busckii (continued)
Identifying factors, use in linkage studies 59
Incomplete dominance 86, 105, 107
Independence of inheritance in the two sexes 106
Influence of environmental factors upon Mendelian characters 107
Inheritance in 60–110
Interrelation of different characters 107
Isolating pure lines by selection 76
Lack of Mendelian ratios in crosses 84
Linkage in 101
Male spotting 63–86
Mendelian segregation in abnormal 95
Multiple factors 76
Mutant in female spotting 108, 109
Mutations 61
Permanency of effect of selection 77, 78
Pure abnormal strain 87
Secondary sexual characters 107
Segregation 81
Selection 63, 64, 67, 68, 71–76, 77, 85, 88–91, 106, 108, 109
Sex-linked inheritance of middle spots 79–81, 85, 109
Sexual dimorphism in the spotting 86, 104, 108
Spotted strains 84
Spottedness of high strains due to same factor 86
Spotting of fifth abdominal segment 108
Spots inherited in Mendelian manner 81
Temperature effects 99, 100, 105, 106, 109
Testing linkage between abnormal spotting and eye mutations 102
Types of spotting 63–65, 77, 105
Variability of recessiveness or dominance 99, 104, 106
Variations in spotting 62
Drosophila melanogaster 62, 325, 459–487, 488–500
Abnormal spermatogonial cells in XO males 485
Amount of dominance in truncate 7
Back selection ineffective 540
Back-selected line 514
Balanced lethal factors 41, 48, 57
Bar eye 539
Barely visible mutant factors 47
Beaded 1, 41, 42
Body color
Black 14, 19, 39, 45, 519
Sooty 44, 519
Bristle character
Extra bristle 531–536, 538
Forked 518, 519
Reduced 501–518, 526, 541
Spineless 519
Bristle factors in wild flies 528, 530
Bristle number 501–541
Genetic change in mean 505
Modifying factors 523
Strains in wild flies 528
Character differences in truncate stock 21

Drosophila melanogaster (continued)
Chromosomal linkage groups 30
Chromosomes 9, 14
Compared with *D. busckii* 62
Complementary components 17
Constancy of factors for truncate 1, 20–30, 55–56
Constitution of primary exceptional sons 485
Continual genetic variation in truncate stock 58
Criss-cross inheritance 461
Cross of female by *D. simulans* 493
Cross of plus and minus lines 530, 531
Crosses to test genetic differences in reduced 526, 527
Crossing over 42, 484, 527, 540
Cytological aberrations 486
Cytological evidence of occurrence of XO males 479
Cytological figures 482
Daughters of XXY female are half XXY 466
Difference in bristle number due to factors outside X chromosome 528
Differences in truncation not genetic 55
Dissection of XO males 478
Dissociation of truncate genotype 54
Dominant mutant factors lethal 39, 56
Elimination of X chromosome 476, 477, 487
Environment, effect on bristle number 575
Exceptional females 470, 482
Exceptional males produced by secondary non-disjunction fertile 466
Exceptions, frequency of 464–471, 474
Excess of primary exceptions 487
Extra-bristle female × plus-line male 534
Extra-bristle line 535, 536
Extra-bristle modifier 535
Extra bristles partially dominant to wild 531, 532
Eye character
Bar eye 539
Buff 483, 484
Eosin 516, 518
Eyeless 519
Kidney 44
Pink 7, 8, 14, 39, 44, 519
Purple 45
Ruby 518
Factor constancy 25
Factor differences for truncate 27
Factor for bar, a dominant intensifier of truncate 19
Factor for black an intensifier of truncate 19
Factor for truncate in second chromosome 54
Factors cross over in truncate 55
Factors for truncate 13, 55, 57
Factors in production of extra bristle number 501, 533, 536
Factors modifying reduced 516, 541
Fluctuability of a unit character 58
Fluctuations due to environment 505

Drosophila melanogaster (continued)
Fluctuations in genes 20, 59
Frequency of exceptions 463–465, 468-474
Frequency of female exceptions lower 474
Frequency of primary exceptions produced by vermilion females and white females 470
Frequency of primary non-disjunction 460, 475
Frequency test for nature of exceptions 463
Frequency test for primary exceptions 463
Genetic and cytological examination of non-disjunction 459–487
Genetic basis of truncate wing—an inconstant character 1–59
Genetic difference between normals and truncates 3, 5
Genetic difference between plus and minus lines in reduced 526
Genetic variation in truncate 3, 20, 58
Giant or multinucleated cells in testes of XO males 434, 486
Gynandromorphs 341, 476, 481, 483
Hereditary behavior of truncate 53
Hereditary factors 8
Heterozygous truncate 32
High selection-line female × wild male 532
Identifying factors 51, 52, 54, 55
Inconstancy of selected stock 56
Inconstancy of truncate 1, 30, 40
Increase of mean by selection 503
Infertility in short truncate 34
Infertility of the "best truncate" families 4
Infrequency of normals in selected truncate stock 40
Inhibitor sex-linked 527, 540
Inhibitors in bristle number 533, 535, 541
Intensifier for truncate 13, 42, 48, 58
Origin by mutation 51
Interaction of factors 11
Invisible peculiarities of germ-plasm 48
Lethal factor 39
Eliminated by natural selection 41
Lines fixed by selection 514
Linkage and crossing over 515, 540
Linkage in truncate 7
Linked identifying factors 51
Locus of truncate 1, 43, 55
Low temperature increases bristle number 515, 541
Lowering of mean 511
Male reduced × female wild type 502
Male the primary exception 466
Males haploid for sex-linked factors 16
Mass cultures 540
Matroclinous daughter 459, 485
Matroclinous females produce further exceptions 459
Mean bristle number increased 501
Method of using a recessive factor as a dominant 11
Method to determine distribution of factors of male parent 9

Drosophila melanogaster (continued)
Minus line 503, 506, 510–513, 516, 524
Analysis 524
Crosses 528–530, 532, 535, 541
Mean bristle number 506
No factor outside the X chromosome 524
Percentage with particular bristle numbers 506, 508–511
Reduced 524
Conditioned by inhibitor 526
Selection 506, 540
Single factor present 526
Minus selection 572
Mode of origin of truncate 1, 46
Modifiability of embryological process in truncate 48
Modifiers 47
Bar-eye 47
Beaded wing 47
Bristle number 533
Origin in wild stock 47
Reduced 519
Truncate 13, 43, 48, 58
Mutant character which varied 502
Mutant gene favors production of primary exceptions 486
Mutant "reduced" 501–541
Mutations affecting truncate 57, 58
No crossing over in male 8
No homozygous T_2 39
Non-disjunction
Primary 460–463, 466, 473, 475–477, 485
Secondary 460, 466, 467, 471, 473, 485
Non-viable XXX individual 485
Normal recessive allelomorph for truncate 13
Normals in selected truncate stock 42
No-X eggs 476
Offspring of exceptional females 475
Origin of modifiers in wild 47
Patroclinous male exceptions 460, 470, 477, 485
Peculiar result of crossing truncate to black 10
Percentage of extra bristles 530
Percentage of primary exceptions in offspring of white females 473, 486
Percentage of primary exceptions of vermilion XX females 473, 486
Plus line 503, 511, 540, 541
Crossed with extra-bristle line 533
Crossed with minus-line female 527, 528, 541
Crossed with wild 530, 536
Fluctuation in percentage of 503–505
Mean bristle number of 503, 507
More modifiers than the wild 531
Plus-modifying factor for reduced bristles 517, 519, 527, 528, 530, 536
Plus selection 503, 504, 506, 511, 541
Primary exceptions 463
Primary male exceptions 477
Primary non-disjunction 459–487
"Pure-line" experiment 55
Recessives reënforce each other 53

Drosophila melanogaster (continued)
Reciprocal crosses of truncate to non-truncate 15
Reduced 501–541
A sex-linked recessive 502
F_2 reduced males 502
Inhibitor 527
Origin 540
Plus modifier 527
Shown only in males 517
Relation of plus-line modifiers to extra-bristle modifiers 541
Relative number of male and female exceptions 474
Responsiveness of truncate to selection 48
Secondary exceptions frequency of 466, 467
Secondary non-disjunction 460, 466, 467 471, 473, 485
Selection to purify truncate stock 2
Selection experiment in truncate 28, 29, 56
Selection for bristle number in "reduced" 501–541
Selection for extra bristles in wild strain 529
Selection of a character brings out modifiers 47
Selective fertilization of T_2' eggs 39
Sex chromosome 15
Sex factor intensifies development of truncate 17
Sex-linked factors 16
Affecting bristle number 516, 540
Sex ratio in exceptions due to non-disjunction 476
Short truncate 34, 39, 40
Somatic variability of truncate 48
Sperm of XO male scanty, non-motile 478, 486
Sterility of XO male 466, 477, 478, 486
Sterility test 472
Syncytium in testes 485
Temperature effect during larval life 515, 516
Theory of fixed and segregating factors 1
Third chromosome 523, 534
Three factors modifying bristle number 523
Truncate
Apparent mutation 51
Appearing sporadically 49
Behaves like a recessive 10
Character 1, 7, 30, 54
Unaltered by selection if recombination is prevented 30
Complex case of multiple factors 20
Crossed to mutant stocks 7
Crossed to wild type 5
Crossed with black 11
Dominant when associated with black body color 53
Evolution series 47
Incomplete recessive 53
Modifiers 48, 56
Origin 57
Origination in other stocks 1, 49

Drosophila melanogaster (continued)
Truncate (continued)
Partially sex-linked 17
Pure line 25
Recessive used as a dominant 11
Resynthesized by breeding 17
Selected for homozygosis 4
Sex-influenced 17, 54
Somatic variants 42
Stock 1, 7, 21, 42, 45, 56
Susceptible to modification by factors 19
Tests 23
Variable character 53
Variation, genetic 53
Weakened 7
Truncation
Grades of 10, 11
Types of 3
Variation in mean bristle number in selected stock 503
Varying potencies in crosses 7
Viability and non-sterility of truncate flies 30
Wing character
Beaded 1, 41, 42
Bent 519
Curved 45
Jaunty 7, 8
Miniature 516, 519
Short 39
Truncate, 1-59
XO males 460, 466, 476, 477, 478, 484, 485, 486
XXY females 460, 476, 485
Yellow-mouse hypothesis as explanation of truncate 40
YO and XXX zygotes not viable 463, 485
Zero eggs 476
Drosophila simulans 488–500
Abnormally-banded abdomen in hybrids 499
Action of sex-linked recessives in species crosses 493
Breeding habits 490
Chromosome groups 490
Complemental genes 499
Cross involving scarlet *simulans* 493
Cross of XXY *melanogaster* females × *simulans* male 494
Cytoplasm, types of, and chromosome combinations produced in crosses 495
Death in larval stage in hybrid cultures 496, 500
Description 488
Description of hybrids 497
Discovery 491
Distribution 491
Egg cytoplasm determined by chromosomes 495
Egg cytoplasm in determining survival of crosses 494, 500
Egg, preferential maturation 497
Exceptional offspring of two types from XXY female in *D. melanogaster* 493
Exceptional sons 500

Drosophila simulans (continued)
External male genitalia 489, 498
Female × *D. melanogaster* **494**
Fertilization in species crosses 495
Genetic studies in **483**-500
Gonads, rudimentary in species-hybrid females 493, 498, 500
Hybrid females
Have sex-linked characters 493
Have two X chromosomes 493
Sterile 493
Hybrid male larvae never pupate 496
Hybrid males 494
Hybrids intermediate 497, 500
Hybrids show character not present in either pure species 500
Hybrids with *D. melanogaster* **488**-500
Intersexes 497
Larvae of two sizes 496
Life cycle 490
Males, fate of $C_m X_m$ 495
Males, missing in cross 496
Mating 490
Matroclinous exceptions 493
Non-disjunction 493, 500
Patronclinous exceptions 493
Reciprocal hybrids 494
Resistance, greater, 492
Sex of hybrids 500
Sex ratio in hybrids 496, 497
Sexual selection in cultures of mixed species 499
Smaller in laboratory cultures 490
Species crossing, analysis of results of **494**
Specific characters 489
Specific differences in Drosophila 488
Specific distinction and *D. melanogaster* 491
Sterility of both sexes in hybrids 488, 493, 494
Survival of hybrids 495, 496, 500
Unisexual hybrid broods 493
DUNCAN, F. N. 49, *59*
DUNGERN, E. VON. 381, *418*
DUNN, L. C. **325, 344**-347, 354, *361*
DURHAM, F. M. 330, *343*, 351, *361*
Dutch markings of belted cattle 346
Dutch spotting of rabbits 346
Dwarf mutation in Portulaca showing vegetative reversions **419**–433
Dyspnoea 364
EAST, E. M. 235, *248*, 432, *433*, **543**, 545, 553, 555, 556, 584, 586, 598, *610*
ECKLES, C. H. 169, *186*
Eczema 370, 384, 385, 415
Egg production in domestic fowl 118, 119, 163, 179, 184, 301, 310, 318
EHRLICH, P. 378, *417*
ELDERTON, W. PALIN 118, 124, *186*, 236, 265, *323*, 331, 346
EMERSON, R. A. 190, 225, *248*, 584, *610*
Enzymatic relations in mammalian coat color 328
Equivalent chromosome pairs 442, 445
Eugenics 52, 59, 414
EVEREST 220
Ever-splitting hybrid 195
Evolution 58, 325
Evolutionary process 108
Extra bristle, Drosophila 531–536, 538
Eye colors allelomorphic, Drosophila 538
Eye mutations, *Drosophila busckii* 101
Factors for anthocyanin in *Lathyrus odoratus* 226
Factors in *Phlox Drummondii* 218, 219, 222, 223, 246
Factors of environment in cereal breeding 587
Female homozygous sex in man 437
Flower color and flower form in *Phlox Drummondii* **189**
Fluctuating variability of unit factors 59
Fluctuating variations 537
Fluctuations heritable 550
Fluctuations in genes (Drosophila) 20, 59
FOORD, JAMES A. 169, *188*
FOOTE, K. 107, *110*
Formulae
Correlation 181
Determination of χ^2 331, 346
Probability of ancestral influence in man 441–454
Probable errors of linkage values 332
Product moments 170, 308
Regression equation 165, 302
Standard deviation of sum of two components 170, 308
Fowl (Gallus) 118, 119, 163, 170, 179, 184, 226, 301, 310, 318
FROEMMING, ALBERT 515
GALTON, FRANCIS 178, *186*, 250, *323*, 435
GALTON'S Law 435
GARBER, R. J. 563, *610*
GAVIN, WILLIAM 118, 184, *187*
GAY, F. P. 380, *417*
GELPKE, 382
Gene radical 436
Genes as enzyme-producing substances 202, 328
Genes, identifying, application of 8–11, 25, 51–54
Genes, independent, in mice **344**
Genes the determiners of natural inheritance 436
Genetic basis of truncate wing, Drosophila 1–59
Genetic relationship of two types of foliage leaf 201
Genetic theory 544
Genetic variability (Drosophila) 20, 56, 58
Genetics, 58, 59
Genotypic variations 539
Germinal variation 539
In *Drosophila busckii* 61
Germ-plasm
Divisibility limited by number of chromosomes 436
Not indefinitely dilutable 436
GEROULD, J. H. 108, *110*
Giant cells in testes of Drosophila **484**, 486
GILBERT, A. W. 190, 241, 242, *248*
GOLDSCHMIDT, R. 497, *500*

GOTTLIEB, M. J. 384, *417*
GOWEN, JOHN W. 111, 132, *187*, 249–252, 255, 273, 299, 319, *323*
Graded series of albinos 328
GRASHOF, MARTIN 191
GREGORY, R. P. 201, 225, *248*
GROER, 381
Grouse locust (*Appotettix*) 336
Growth in children 133
Growth of organs in white rat 133
Guernsey butter-fat percentage 258, 273, 320
Guinea-pigs (Cavia) 133, 329, 330
GUYER, M. F. 496, *500*
Gynandromorphs in Drosophila 341, 476, 481, 483
HAAGE and SCHMIDT 190
HAGEDOORN, A. L. 350, 351, 360, *361*
HALDANE, J. B. S. 327, 328, 331, 332, *343*, 347, *361*
HALDANE, N. M. 327, 328, *343*
HARRIS, J. ARTHUR 163, 179, 181, *187*, 301 310, 318, *323*
HARRISON, J. W. H. 497, *500*
HARVEY, E. N. 190
HARVEY, ETHEL BROWNE 436, *455*
HATAI, SHINKISHI 133, 154, *187*
HAYES, H. K. 225, *248*, 544, 545, 555, 581, 598, *610*
Hay-fever 363, 370, 384, 385, 389, 408, 415, 416
HEGNER, R. W. *542*
Heritable variation 537–539
Hereditary factors in butter-fat percentage 257
Hermaphrodite 477
Hevea brasiliensis 545
Himalayan rabbit 329
HIRSCHFELD 381, *418*
Hives 385
HOGE, M. A. *110*
Holstein-Friesian cattle, butter-fat percentage 258, 273, 274, 320
HOOKER, W. J. 210, *248*
HOPKINS, C. G. 544, 550, 556, *610*
HOWE, A. C. 385, *417*
HUEBNER, W. 378, *417*
Human genetics 52, 59
Hybridizing Drosophila 488
Hybrids
  Completely sterile (Drosophila) 488
  Lepidopterous, broods of one sex 497
  Nettle 201
HYDE, R. R. 59
Identifying genes in linkage studies 51, 52, 59
Immune mother guinea-pigs transmit immunity 379
Immunity by nursing immune mothers 378
Immunity to diphtheria 379
Improvement of herds 275
Incomplete dominance 105, 107
Inconstancy, cause of in truncate Drosophila 30
Inconstant and modifiable character in Drosophila 1–59
Increased resistance in mice 378
Independence of inheritance in the two sexes 106
Independent genes in mice 344
Independent Mendelian assortment 331
Influence of a given ancestor 435
Influences of environmental factors upon Mendelian characters 107
Inheritance, behavior of chromosomes in 436
Inheritance of chemical constituents 544, 554
Inheritance of pollen color and shape 586
Inhibiting substance retarding growth of epidermal layer 202
Inhibition of a basic enzyme or a chromogen 329
Inhibition of sex activity by high and low temperatures 337
Inhibitors, incompleteness of action 204
Inhibitor to development of long style 225
Intensifiers 19
Interaction of factors, Drosophila 11
Interrelation of different characters 107
Intersexes 497
Interspecific sterility in Drosophila 488
Invisible mutant factors, Drosophila 47
ISKOWITZ, H. 383, *417*
Iso-agglutenins 381
Isolating pure lines by selection, *Drosophila busckii* 76
JACKSON, C. M. 133, *187*
JENKINS, E. H. 546, 597, *610*
JENNINGS, H. S. 25, 202, *248*, 537–539, *542*, 599, *610*
Jersey cattle
  Butter-fat percentage 258, 273, 274
  Milk production 118, 119
JOHANNSEN, W. 25, 76, *110*
JOHNSON, C. W. 491, *500*
JONES, D. F. 543, 545, 555, 599, *610*
KASSOWITZ, 381
KELLY, J. P. 189, 191, 205, *248*
KING, HELEN D. 327, 329, *343*
KÖLREUTER, J. G. ix, x, frontispiece
KOESSLER, K. K. 383, *417*
LAROCHE 382
LAUGHLIN, HARRY H. 435
Latency 246
Lathyrus odoratus 226
LEAKE, H. M. 201, *248*
Lepidoptera 341
Lepidopterous hybrids, broods of one sex 497
LESNÉ, ED. 382, *417*
Lethal factors 39
LEWENZ, M. A. 133, 154, *187*
Limitations in cross matings of Drosophila species 499
Linear arrangement of genes 340, 343
Linkage
  Drosophila 340
  Drosophila busckii 101
  Mammals 326
  Mice 325, 326, 344, 360
  Rats 325, 326, 344, 360
Linkage group of trait determiners 426
Linkage studies, use of identifying genes in 51–54, 59

LITTLE, C. C. 329, 330, *343*, 345, 346, 350, 351, 353, 354, 360, *361*
Localization of genes 326, 342, 344
Locusts 342
LONGCOPE, W. T. 385, *417*
LUTZ, F. E. *110*
Lychnis dioica 225
MAC DOWELL, E. C. *110*, *537*, *542*
Maize (*Zea Mays*)
  Aleurone color 225
  Antagonism between high yield and high protein 609
  Breeding for high protein 588, **589**, 600, **608**, 609
  Breeding for yield 600
  Breeding limits 608
  Breeding methods 588, 608
  Closely bred strains 600
  Combining strains obtained by self-fertilization 609
  Comparison between F_1 generation and parental strains 579
  Composition of seed 560
  Constituents 546, 547
  Correlation between number of seeds and protein content 563
  Cross breeding 590
  Crosses between high-protein lines 601
  Crosses, weights of endosperm and pericarp in 569
  Double fertilization 555
  Embryo and endosperm, size relations between 584
  Embryos, weights in crosses 566, 567
  Endosperm and embryo, size relations between 584
  Endosperm and pericarp increased in crosses 569
  Endosperm characters, inheritance 555
  Endosperm, two maternal nuclei in 556, 586
  Endosperm weights in crosses 567, 568
  Environmental factors 582, 583, 587
  Formation of aleurone color 225
  Frequency distributions
    Oil 547
    Protein 547, 589
  Gamete formation 585
  Genetic constitution of mother plant on seed production 586, 587
  Genetic studies on protein content **543–610**
  Growth 133
  Heredity 589, 590
  Heterosis 569, 570, 585–589, 600, 609
    Increases weight of seed and decreases percent of protein 563
    Vigor dependent on 600
  Heterotic effect in endosperm 569, 570
  Heterozygotes 587
  High-protein ears 594
  Homozygotes 587
  Inbreeding 588, 590, 600
    Reduces vigor 600
  Individuality of organism 586
Maize (*Zea Mays*) (continued)
  Inheritance of protein 544, **554**, 582–584, 599
  Isolation of hereditary factors 553
  Male gamete without immediate influence on seed 585, 586
  Maternal dominance 556
  Mendelian recombinations 552, 553
  Methods for breeding 588, 608
  Mixed-pollen experiments 574
  Modifiers for protein content 583
  Mutation, no evidence of frequent 609
  Nuclei, two maternal in endosperm 586
  Oil, high and low strains 554
  Oil, increasing 545
  Origin of seed 555, 556
  Pericarp and endosperm, increased in crosses 569
  Pollen mixtures 563, 564, 566, 573, 574
  Pollination, effect of 563–568, 570–577
  Protein content
    Comparison 561, 562
      Of high types with F_1, F_2 and F_3 seed 581
    Due to large number of inherited factors 609
    Effect of crossing on 579, 580, 601, 603, 604, 606, 607
    Factors affecting 584
    Genetic studies on **543–610**
    Increases in by breeding 588
    Influence of heredity 605
    Modifiers for 583
    Of first hybrid generation 578
    Of seed of F_2 hybrid 586
    Percentage in seed 546, 548, 571, 573
    Selection for high and low 550, 551, 570, 590, 591, 597, 608
    Variations in individual seeds 559
  Protein elaboration, factors affecting 583
  Protein, similar percentages due to different genetic constitutions 600
  Protein strains
    Differentiation of high and low 556, 558
    High 600, 605
    Not vigorous 609
    Obtaining high 587, 588, 600
  Reciprocal crosses 602
  Recombination of multiple factors 584
  Retardation in effects of selection 553
  Seed the unit 585
  Segregation and recombination 585
  Selected matings between high-protein plants 600
  Selecting for high oil and low oil content, results of 551, 552
  Selection
    Accumulation of hereditary complexes 554
    Chemical yields 588
    Effect 552, 560, 601, 603, 604, 606, 607
    For high protein 550, 551, 570, 590, 591, 608
    For low protein in self-fertilized lines 597

Maize (*Zea Mays*) (continued)
Selection (continued)
Self-fertilized lines selected for high protein 593, 595, 596, 598, 599, 608
Size relations between embryo and endosperm 584
Transmissible hereditary factors 560
Variability 608
Varieties 547, 563, 570, 571, 577, 589–591, 597, 598, 602
Burr's White 547, 554, 571
Burwell's Yellow Flint 590, **597**, 598, 599
Hopson's Longfellow 589, 597
Illinois High Protein 570, 577, 578, 590, **595**, 602
Illinois Low Protein 563, 570, 577, 579, 590, 595, **596**, 597, 602
King Philip Flint 589
North Carolina Dent 589
Stadtmueller's Leaming 563, 570, 577, 579, 589, 590, 593, 594, 602, 608
Sturges's Hybrid 589
Vigor of hybrids (see heterosis) 582
Weights of embryos in crosses 566, 567
Weights of endosperm in crosses 567, 568
Weights of endosperm, pericarp and embryo 556, 566
Xenia 556, 563
Yields in chemical-selection experiments 588
Zein 546
Man
Analysis of a human pedigree 440
Ancestral influence in man **435–458**
Asthma (which see) 363–418
Calculating ancestral influence in **435–458**
Chromosomal behavior 454
Chromosomal data 437
Chromosomes
Contributions of ancestors 439, 440
Number 437
Chromosomes, probability of transmitting 439
Consanguineous matings 451
Crossing over 440
Cytological evidence in pedigrees 435
Each ancestor physiologically necessary 440
Female homozygous 443
Fertilization 436, 454
Formula values for given ancestors 455–458
Formulae applicable to any bisexual species 441, **442–445**, 454
GALTON'S and PEARSON'S methods inadequate 435
Gametogenesis 436, 454
Gene-radicals 439, 454
Germ-plasm 435
Hereditary traits of a propositus 436
Identical twins 453
Inbreeding 451
Linkage 440
Male heterozygous 437, 443
Mendelian genes 447
Man (continued)
Method of identifiers 52
Non-linked genes 449
Pedigree studies 435, 436
Segregation and recombination of ancestral traits 435, 438
X-trail 443, 446
Y-trail 443, 446
Zygote 436, 440
Zygotic chromosomal replica 453
Zygotic chromosomes 436
MATTOON, E. W. *110, 542*
MAY, H. G. 542
Mechanism of heredity 325
MEIJERE, J. C. H. DE 108, *110*
MELTZER, S. J. 378, 382, *417*
MENDEL, GREGOR 598
MENDEL, L. B. *610*
Methods (see technique)
Methods of cereal breeding 587, 588
METZ, C. W. 490, 492
Mice, **325–343**, **344–361**
Agouti
Allelomorphic to non-agouti and yellow 354
Independent of white 356
Albinism 328
Linked with pink-eye 327, **328–337**, 360
Albino locus 339
Behavior of chromosomes in gametogenesis 337
Black 360
Black-eyed white **351–354**
Independent of yellow 354
Not allelomorphic to piebald and self 352
Not linked with agouti 360
Black-eyed white spotting **351**, **352**, **354**, **357**
Not allelomorphic to piebald spotting 351, 360
Relation to agouti 354
Relation to piebald spotting 345
Relation to pink-eye 357
Relation with other genes 351
Black-eyed whites are unfixable heterozygotes 351, 352
Brown 360
Calculations of linkage 333
Chromosome groups 360
Cinnamon 330
Color gene 328, 330
Color variations 329
Comparative frequency of crossing over in males and females 325, 340
Crossing over in both sexes 325, 336, **341**, 342
Crossover classes 332
Crossover gametes 333, 341
Crossover value between pink-eye and albinism 327, 342
Crossovers 331, 336, 347, 355, 356, 359
Dark-eye 330
Departure from normal Mendelian expectation 327

Mice (continued)
Depletion of litters 325, 335, 342
Effect on percentage of crossovers 335
Dilution 360
Independent genes 344–361
Iris 330
Lethal element 354
Lethal of yellow 354
Linkage 325–343, 360
Genes for color variation 344, 359
Non-agouti and albinism 360
Non-agouti and piebald 350
Pink-eye and albinism 325, 327, 328, 330, 331, 333, 345
Linkage groups 360
Litters reduced by lethals of both yellow and black-eyed white 354
Loss from depletion in breeding 334
Multiple allelomorphs of the color gene 329
Non-agouti—albino crosses 350
Piebald factor 346
Pink-eye 330
Pink-eye, no linkage with agouti, yellow, black or brown 345, 360
Relation to piebald 345
Probable errors of the linkage values 332
Recessive spotting 345
Repulsion 350, 354
Retina 330
Spotting, types of 353
Unfixable heterozygotes 351
Value of linkage 333
Variability in black-eyed white 353
Variations in crossover percentages 336, 337
Waltzing 360
Yellow 354
Zygotes die *in utero* 352
MIDDLETON, A. R. *352*
Milk secretion 111–188, 249–324
Advanced-registry animals 119
Age, effect on quality of milk 249–324
Analysis of individual variation 251
Animals to be saved for future lactations 180
Biological factors of advance in butter-fat 274
Breeds with greatest butter-fat vary most 258
Butter-fat declines with age 255, 272–274, 320
Butter-fat distributions are not of large range 252
Butter-fat from twenty-eight breeds shows bimodal distribution 320
Butter-fat highest in first lactation 330
Butter-fat percentage 250, 251, 258
Records for eight months 251
Butter-fat secretion 255
Causative mechanism of milk and butter-fat production 113, 135, 178, 310, 321
Hereditary origin 179
Constants describing distribution 261–263
Milk secretion (continued)
Correlation
Butter-fat of different lactations 249, 274, 305, 309, 321
Butter-fat percentage with age 249–270-292–324
Coefficients of milk production 160
Milk production with age 111, 129, 130
Milk yields of different lactations 111, 135, 156, 169
Culling of herd 156, 160, 168, 180, 275, 317, 323
Curve of standard deviation of milk production 133
Dairymen neglecting records of first lactation as measure of future production 156
Developmental mechanics 251
Distribution of butter-fat percentage as normal 270
Distribution of milk production agrees with that for butter-fat percentage 252, 264
Egg-parts compared with milk constituents 258
Environment as one-third of coefficients of variation 169
Environment lowers coefficient of correlation between lactations 315
Environmental complex influences yield 169
Expression of genotype 168
Factors governing milk production 182
Feeding as factor in quantity 169
First lactation as measure of expectation 167
Five-year lactation represents potentialities for butter-fat 305, 322
Fluctuation of butter-fat percentage 250, 252, 261
Frequency distributions for milk production 113, 114
Frequency polygons for butter-fat symmetrical 319
Grouping for age 114
Hereditary difference of one unit between breeds 257
Hereditary factors in butter-fat 257
Heredity *versus* environment in butter-fat production 186, 275
Highest milk production, how attained 171
History of the herd 143
Holstein Friesian cattle 119, 252
Increase of milk production with age 133, 183
Increased milk production dependent on size of mammary gland 183
Index of producing ability 165, 167
Influence of age of Ayrshire compared with other breeds 274
Influence of age on milk production 130
Influence of environment 178, 185, 249, 312, 314, 322

Milk secretion (continued)
Influence of length of time cow is in herd 276, 282
Inheritance of butter-fat production 261
Inheritance of qualitative characters 250
Inherited complex for butter-fat percentage 314
Inherited complex for milk production 171
Inherited factors governing amount of milk 178
Intra-individual variation in butter-fat 275
Jersey at top of twenty-eight breeds for butter-fat 255
Jersey breed 112, 113, 319
Jersey Registry of Merit 112, 126
Mammary glands 133, 135, 171, 182, 270
Law governing action of 272
Works with greater precision than ovary 184, 258, 310, 321
Maximum production 117
Mean butter-fat percentage highest in early ages 255
Mechanism behind formation of milk 171
Milk-inheritance studies 127, 132
Milk-production 111, 112, **114**, 117, **119**, 124, **129**, 130, **156**, **164**, 165, 168, **169**, 171, 179, 182, 183, 186, 250
Compared with egg production 179, 310, 321
Mixed herd compared with pure-bred herd 136
Normal variations and correlations of milk 182
Physiology underlying milk secretion 113, 182
Place of individual in curve due to heredity 250
Practical aspects of correlations for butter-fat percentage 249, 315
Practical aspects of correlations for milk production 180
Practical dairying 168
Quality of milk 250
Quantitative characters 250
Range of variation considerable 114, 183
Ratio of increase of butter-fat 112
Records 114, 132, 165, 168, 182
Regression of butter-fat percentage 249, **302**
Regression of milk production 111, **132**, **164**
Relation between age and concentration of butter-fat 271
Relation of growth to age 183
Reliance on record 165
Results may be used for Jersey and Guernsey breeds 317
Rise and fall in production 118
Due to physiological changes 154
Secretory cells of mammary glands 119
Selection 143, 144, 148, 153, 315
Effect at given age 144
Standard of performance 112
Substantial correlation between lactation records 181

Milk secretion (continued)
Tables of lactation records 136–162
Total yield 169
Types of production curves 120
Variation impressed by environment 168
Variation of butter-fat percentage **252**, **261**
Variation of milk production at different ages **111**, **114**, **119**
Variation of milk secretion 135
Variations and correlations of butter-fat percentage with age **249**–324
Variations and correlations of milk production with age **111**–188
Variations due to different conditions of England and United States 136
Work as factor in quantity 169
MINER, JOHN RICE 169, *187*
MINOT, C. S. 133, 154, *187*
Modifiable characters in Drosophila **1**–59
Modifiers of eye color, Drosophila 538
Modifiers, origin of, in Drosophila 47
Modifying factors 539
MOENKHAUS, W. J. *110*
MORGAN, T. H. 1, 2, 50, 59, 61, *110*, 340, *343*, 351, *361*, 476, 483, 494, *500*, *542*
Morphology of seed production in maize 555
Mortality affecting sex ratio in species hybrids 497
Mule, giant spermatogonia in 485.
MULLER, HERMANN J. **1**, 2, 41, *59*, *110*, 340, *343*, *542*
Multiple allelomorphs 329, 538.
Multiple chromogens 217
Multiple factors
In Drosophila 20, 76
In Phlox 223
Multiple-factor hypothesis 537, 539
Mutant factors "invisible" in Drosophila 47
Mutant gene in vegetative mutation 430
Mutant strain "reduced" of Drosophila **501**–541
Mutation, dwarf in Portulaca showing vegetative reversions **419**–433
Mutation in either direction 538
Mutations as potent factors in evolution 61
Mutations, bar-eyed fly 538, 539
Mutations in nature *Drosophila busckii* 61
Mus norvegicus, crossing over in both sexes 336
NABOURS, R. K. 342, *343*
Negative correlation of butter-fat percentage with advancing age 273
Nettle (Urtica) 201
Nicotiana 586
Non-disjunction
Primary **460**–463, 466, 473, **475**–**477**, 485
Secondary 460, 466, 467, 471, 473, 485
Non-inheritable somatic segregation 200
ONSLOW, H. 328, *343*
OPPENHEIMER, S. 384, *417*
Origin of modifiers in wild Drosophila 47
Origin of variations in *Drosophila busckii* 61
Orthogenesis 47
Orthoptera 341, 342

OSBORNE, T. B. 546, 547, 556, 583, *610*
OTTO 380
PALLADIN 217
Papilio memnon 108
Passive artificial sensitization inherited 381
Patroclinous male exceptions 470
PAYNE, FERNANDUS 108, 109, *110*, **501**, 516, 537, 539, *542*
PEARL, RAYMOND 117, 118, 129, 132, 133, 154, 169, *187*, *323*, *542*, 554, 581, *610*
PEARSON, K. 118, 120, 124, 133, 154, 183, *187*, *188*, 264, 265, 320, *324*, 331, 346, 435
PEPPER, OLIVE M. 154, *187*
Permanency of effect of selection in *Drosophila busckii* 78
Peroxidase 328
PHILLIPS, J. C. 345, 360, *361*, *541*
Phlox Drummondii 189–247
Activator 217, 218, 246
Bifactorial hypothesis for bluing 234, 235
Bluing factor 190, 212, 218, 220, 227, 232, 240
Carnea 241, 242
Chromogen-factor 217, 218, 232, 240, 246
Chromosome number 220, 247
Coccinea 241
Color inheritance **189–247**
Color intensifiers 247
Color modifiers 231, 247
Color types 210–223, 228–233, 236–247
Complementary genes 213, 217, 231, 243, 246
Compound characters 224
Constitutional change not transmitted by germ cells 200
Corolla lobes 190
Corolla lobe margins, structure of 203
Cream factor 190
Cuspidata 191–203
Origin by mutation 200
Dark-eye factor 190
Diagrams of flower types 197
Differentiating characters 189
Diluting factor 227, 228, 247
Doubleness 189
Dwarf 189
Early experimental work 190
Enzyme factor 240
Epidermis determining flower form 200
Factor combinations 219, 241
Fimbriata 192–204
An ever-splitting hybrid 195
Flower shapes independent of color 196
Flower color **189–209–242–245**
Amaranth pink 210, 212
Black 190
Carmine 190, **227**, 245
Cream **227–229**, **244–247**
Dark eye 190, **209–214**, 222, 227, 229, 230, 236, 241, **244**
Dusky 211–213, 217, 221, 222, 226–230, 233, 239–242, 245, 246
Phlox Drummondii (continued)
Flower color (continued)
Full-colored 190, 210, 211, 225, 228, **231**, 236, 246, 247
Light phlox purple 210, 212
Lilac 190, 242
Magenta 211, 217, 239
Mallow-pink 243
Pink 190, **242**
Purple 190
Red 190
Rhodamine purple 210, 212, 227, 229
Self-colored 210, 211, 228, 231, 233
Stippled 211, 212, 217, 221, 222, 225, 232, 239, 243, 246
Tyrian pink 205, 229
Tyrian rose 210, 212, 229, 236, **242**, 245
White 203, **209–212**, 221, 223, 227, 229 **235**, 237, 241–**244**, 245
White eye 190, 212, 214, 217, 218, **235**, 236, 237, 240, **242**, 247
White margin 196, 203
White-streaked 205, 246
Flower form **191–209**, 245, 246
Funnel-shaped 204–209, 246
Salver-shaped 207–209
Star phloxes **191–204**
Inflorescence 189
Inhibiting substance retarding growth of epidermal layer 202
Inhibitors, incomplete action of 204
Intensifying factor 190, 228, 247
Interaction effects 231
Linked genes 220, 234
Mendelian interpretation 243
Multiple factors 223
Non-genetic variation 200
Radowitzii 204
Red factor 190
Selective elimination 234
Somatic segregation in dermatogen 200
Star phloxes **191–204**
Triple complementary genes 231
Piebald factor, mice 346
Plant-breeding projects 544, 545
Polemoniaceae 193
Pollen color in Nicotiana 586
Portulaca grandiflora **419–433**
Branching in dwarfs 420
Color in dwarf seedlings 420
Dwarf a simple Mendelian recessive 421, 424, 433
Dwarf mutation showing vegetative reversion **419–433**
Dwarfs **419–420–421**
Exceptions to recessiveness 424
Frequency of dwarf mutations 431
Genetic constitution of reverting branches 426, 429
Intermediate type of dwarfs 421
Mutant gene in vegetative mutation 430
Mutants less viable than normals 421
Mutation, dwarf **419–433**
Normals from reverting branch selfed 428
Proportion of dwarf reverting 424

Portulaca grandiflora (continued)
Reversions 421, **424, 42**5
Reverting branches 424, **42**5 427, 433
Bud sports or vegetative mutations 430
Heterozygous for dwarf 426, 429, 430
"Tall dwarfs" 421, 425
Vegetative reversions **419, 424**–433
Potencies, varying in Drosophila 7
Primary non-disjunction in *D. melanogaster* **459**–487
Primula hybrids 201
Primula sinensis 225, 336
Probability **441,** 442
Protein content of maize **543**–609
Protozoa 538
PUNNETT, R. C. 226, *247*, 329
QUACKENBUSH, L. S. 491–494, 499, *500*
Rabbits (Lepus)
Dutch spotting of 346
Growth in 133
Himalayan 329
RACKEMANN, F. M. 385, *418*
Rats (Mus) **325**–343
Agouti 330
Albinism 328, 329
Allelomorphs of the color gene 329
Chromatin 343
Color genes 330
Color variations of the Norway rat 326
Comparative frequency of crossing over in males and females 325, 340, 341
Crossing over in both sexes 327, 343
Crossover values between red-eyed yellow and albinism 342
Dark eye 330
Depletion of litters 334
Intensity 329
Iris 330
Linear arrangement of genes 343
Linkage **325, 32**5–**328**–**33**7–**339**–343
Pink-eye and red-eye 340, 342
Red-eye and albinism 325, **327**, **337**, 338, 342
Pink-eyed yellow 339
Red-eyed yellow 339
Retina 330
Ruby-eyed dilution 329, 339
Sarcoptis notoedres parasitic on 337
Recessive commonest type of vegetative mutations 432
Recessive factor becomes a dominant, Drosophila 53
Recessive factors reënforcing each other 53
Reciprocal crosses
Giving different results in Drosophila 7
In maize 602
Recombination of factors 56
Reduced bristle number, Drosophila **501**–542
Reduplication hypothesis 327
Regression of butter-fat percentage 249
Regression of milk production **164**–168
Reversal of dominance 106
Reverse mutation 538
Rhabditis nigrovenosum 477
RHIND, A. J. 123, *188*, 264, *324*
RICH, H. M. 383, *418*
RICHET, F. 382, *417*
RIDDLE, O. 496, 497, *500*
RIDGWAY, R. 210, 212, 227, 235, *248*
RIETZ, H. L. 119, 120, 127, 129, *188*, 261, 270, *324*, 551, *610*
ROBERTS, E. 334, *343*, 345, 360, *361*
Rodentia 326, 328, 330
ROOT, F. M. *542*
Rose colds 384
ROSENAU, M. J. 379, 380, *418*
SAFIR, SHELLEY, R. **459,** *487*
SAINT GIRONS 382
Sarcoptis notoedres 337
SAUNDERS, E. R. 226, *247*
SCHICK 381
SCHLOSS 384
Secondary non-disjunction 460
Secondary sexual characters 107
Selection
Brings out modifiers 47
Bristle number in *Drosophila melanogaster* **501**–542
Hooded rats 537
Protein content in maize 545, 547–554, 560, 578, 584, 587–**589**–**590**–**598**–**600**–609
Spotting in *Drosophila busckii* **63**–**66**–**69**–73–**76**–**77**–**86**–90, 103, 104, 106, **108**, 109
Truncate wings in *Drosophila melanogaster* **1**–6, 25–30, 34, **55**–58
Sex factor as an intensifier 17
Sex in Lepidopterous hybrids 497
Sex of hybrids in doves 497
Sex-linkage 326
Drosophila busckii 79–81, 85, 109
Drosophila melanogaster 16, 516, 540
Sex ratio, abnormal in hybrids in domestic cow and male bison 496
Sex ratios in species hybrids **496**
Sexes, crossing over in both 336
Sexes do not differ in autosomal characters 341
Sexual dimorphism in spotting, *Drosophila busckii* 86, 104, 108
Sexual selection **499**
SEYSTER, E. W. 516, *542*
SHEPPARD, 113, 144
SHULL, G. H. *110*, 189, 190, 204, 225, *248*
Siamese cat 329
SLUTSKY, E. 132, *188*, 271, *324*
SMITH, L. H. 544, 548, 550, 556, 595, *610*
SMITH, THEOBALD 379, 382, *418*
Snapdragon (Antirrhinum) 217, 225, 226
Somatic mutation from eosin to wild type in Drosophila **483**
SOUTHARD, E. E. 380, *417*
Species hybrids among birds 496
Specific differences in Drosophila 488
Spermatogonia, giant in mule 485
Spermatogonial cells, abnormal behavior of in Drosophila 485
SPRENGER, C. 190, 193, 201, *248*
SPRUNT, A. D. 327, 328, *343*
Staphylococcus aureus 367

Star phloxes 191
Sterility in mule 485
STEVENS, N. E. 479, *487*
STOCKING, RUTH J. *542*
Stocks (Matthiola) 226
STOUT, A. B. 210
Streptopelia alba 497
Streptopelia risoria 497
STROBELL, E. C. 107, *110*
Structure of mother influencing sex ratio in species hybrids 496
STURTEVANT, A. H. 478, *487*, 483, 499, *500*, 537, *542*
SURFACE, F. M. 133, *187*, *323*, 553, *610*
Sweet pea (*Lathyrus odoratus*) 226
TALBOT, F. B. 381, 383–385, *418*
Technique 479
  Breeding cereals 587, 588
  Breeding maize 588, 608
  Combating sarcoptid mites on rats 338
  Culture
    Drosophila busckii 62
  Fixation and staining Drosophila 479
  Use of identifying factors 8–11, 25, 51–54, 59
Temperature effect, *Drosophila busckii* 99, 100, 109
Tetanus 378, 379
THISTLETON-DYER, W. T. 209, *248*
Transmission of chromosomes 436
Transmission of immunity in mice 378–381
Truncate a recessive used as a dominant 11
Truncate an apparent mutation 57
Truncate evolution series 47
Truncate unaltered by selection in absence of recombination 30
TSCHERMAK, E. 387
Tyrosin and tyrosinase 328
Ultra-bar, Drosophila 539
Unfixable heterozygotes 351
Unicellular forms 537
Unisexual broods 497
Unit character, variation of in Drosophila 58
Urticaria 370, 385, 389, 415
Use of identifying genes in likage tests 51, 59
VAILLARD, L. 379, 381, *418*
VANDER VEER, A. 386, *417*
Variability, fluctuating of unit factors 59
Variability, genetic 20, 56, 58
Variability in maize plant 608
Variability of recessiveness or dominance in *Drosophila busckii* 99, 104
Variation of
  Butter-fat with age 249
  Crossing over in male animals 341
  Unit character 58
Variations and correlations
  Of butter-fat percentage with age 249, 261–324
  Milk secretions with age 111–188
Variations in
  Drosophila busckii in nature 61
  White-flowered strains of *Phlox Drummondii* 210
Variations occurring in the direction of selection 538
Varieties of *Primula sinensis* 225
Varying potencies 7
VAUGHAN, V. C. 380, 383, *418*
Vegetative mutations 432
Vegetative reversions in Portulaca 419–433
VIGOR, H. D. 118, *188*, 265, 273, *324*
VRIES, H. DE 201, *247*, 387
WALKER, I. C. 363, *418*
Walnut comb in fowl 226
WARREN, DON C. 60, 101, *110*
WARREN, ELMIRA SHIERLING 109
WEIMANN, H. L. 436, *455*
WEISMANN, A. 386
WERNICKE 379, *418*
Wheat, increasing protein in 545
WHELDALE, M. 217, *248*
White Leghorn, egg production 163, 179, 301, 310, 318
WHITING, P. W. 327, 329, *343*
WILLSTÄTTER 220
WING, HENRY H. 169, *188*
WINIWARTER, H. VON 436, *455*
WINTON, H. L. 546, 597, *610*
WISSLER, C. *186*
WITTMACK, L. 191, 200, *248*
WODSEDALEK, J. E. 485, *487*
WOLL, F. W. 169, *188*
WORTHEN 384
WRIGHT, S. 326, 328, 329, 337, *343*
Xenia 556, 563
YULE 350
ZELENY, C. *110*, 538, 539, *542*